### STIC-Biotech/ChemLib

Fr m: Sent: T:

Subject:

Portner, Ginny Saturday, September 07, 2002 3:13 PM STIC-Biotech/ChemLib 09/674,254

Please search SEQ ID No 3 (peptide of 16 amino acids) .. thanks!

Ginny Rortner
CM1, Art Unit 1645
Room 7e13
Mail box 7e12
(703) 308-7543

Point of Contact P. Sheppard Phone: P. Sheppard Phone:	99
Location:	
Date Picked Up:	
Date Picked Up:	
Searcher Prep/Review:	
Clerical:	
Online time:	

TYPE OF SEARCH:
NA Sequences:
AA Sequences:
Structures:
Bibliographic:
Litigation:
Full text:
Patent Family:
Other:

/ENDOR/COST (where applic.)
STN:
DIALOG:
Questel/Orbit:
ORLink:
Lexis/Nexis:
Sequence Sys.:
WWW/Internet:
Other (specify):

## WEST Search History

DATE: Saturday, September 07, 2002

Set Name	Query	<u>Hit</u>	Count	<u>Set</u>	Name
side by side	·			resu	ılt set
DB=USPT;	PLUR=YES; OP=AND	•			
L1	5916751.9n.		0		L1
L2	5916751.pn.		1	į	_2
L3	lefty.ti,ab,clm.		2	ł	_3

END OF SEARCH HISTORY

## WEST

Generate Collection

Print

Search Results - Record(s) 1 through 3 of 3 returned.

□ 1. Document ID: US 6294662 B1

L3: Entry 1 of 3

File: USPT

Sep 25, 2001

DOCUMENT-IDENTIFIER: US 6294662 B1

TITLE: Nucleic acids encoding an endometrial bleeding associated factor (ebaf)

#### Abstract Text (1):

A method for the early diagnosing of selected adenocarcinomas in a human comprising the steps of removing a bodily sample from the human, and assaying the bodily sample for elevated expression of a specific gene. The gene being assayed for in the bodily sample is the <u>TGFB-4</u> gene (hereinafter referred to as the endometrial bleeding associated factor (ebaf) gene. The bodily sample can be tissue from a specific organ in the body, or a blood sample. Increased levels of ebaf in the sample relative to basal levels may be indicative of a mucinous adenocarcinoma of the colon or ovaries, or an adenocarcinoma of the testis.

#### Brief Summary Text (22):

The specific gene referred to above is the <u>TGFB-4</u> gene (hereinafter referred to as the endometrial bleeding associated factor (ebaf) gene). Applicants recently discovered this gene in humans (please see Ravi Kothapalli, Ibrahim Buyuksal, Shi-Qi Wu, Nasser Chegini, Siamak Tabibzadeh: Detection of ebaf, a novel human gene of the TGF-? superfamily; association of gene expression with endometrial bleeding J. Clin. Invest. 1997, 99:2342-2350, which is hereby incorporated by reference herein). The cDNA sequence of the ebaf gene is set forth in SEQ. ID NO. 1.

Image	

□ 2. Document ID: US 5916751 A

L3: Entry 2 of 3

File: USPT

Jun 29, 1999

DOCUMENT-IDENTIFIER: US 5916751 A

TITLE: Method for the diagnosis of selected adenocarcinomas

#### Abstract Text (1):

A method for the early diagnosing of selected adenocarcinomas in a human comprising the steps of removing a bodily sample from the human, and assaying the bodily sample for elevated expression of a specific gene, the gene being assayed for in the bodily sample is the <u>TGFB-4</u> gene (hereinafter referred to as the endometrial bleeding associated factor (ebaf) gene. The bodily sample can be tissue from a specific organ in the body, or a blood sample. Increased levels of ebaf in the sample relative to basal levels may be indicative of a mucinous adenocarcinoma of the colon or ovaries, or an adenocarcinoma of the testis.

### **Brief Summary Text** (22):

The specific gene referred to above is the <u>TGFB-4</u> gene (hereinafter referred to as the endometrial bleeding associated factor (ebaf) gene). Applicants recently discovered this gene in humans (please see, Ravi Kothapalli, Ibrahim Buyuksal, Shi-Qi Wu, Nasser Chegini, Siamak Tabibzadeh: Detection of ebaf, a novel human gene of the TGF-superfamily; association of gene expression with endometrial bleeding J. Clin. Invest. 1997, 99:2342-2350, which is hereby incorporated by reference herein). The cDNA sequence of the ebafgene is set forth in SEQ. ID NO. 1.

#### Other Reference Publication (6):

Siamak Tabibzadeh, Ravi Kothapalli, Ibrahim Buyuksal, "Distinct Tumor Specific Expression of <u>TGFB4</u> (ebaf), a Novel Human Gene of the TGF-B Superfamily," Frontiers in Bioscience 2, Jul. 1997, pp. 18-25.

Fuli	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawn Desc
Image												

3. Document ID: US 5916751 A

L3: Entry 3 of 3

File: DWPI

Jun 29, 1999

DERWENT-ACC-NO: 1999-384717

**DERWENT-WEEK: 200175** 

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Detecting serous or mucinous colon/ovarian adenocarcinomas and testicular adenocarcinoma by

assaying for elevated expression of a gene

INVENTOR: KOTHAPALLI, R; TABIBZADEH, S

PRIORITY-DATA: 1996US-025800P (August 27, 1996), 1997US-0919421 (August 27, 1997)

PATENT-FAMILY:

PUB-NO PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

US 5916751 A

June 29, 1999

011

G01N033/574

## INT-CL (IPC): <u>C12 Q 1/68</u>; <u>G01 N 33/48</u>; <u>G01 N 33/574</u>

Print	Collection	Generate			
		O	<u> </u>		
				N	

Display Format: - Change Format

<u>Previous Page</u> <u>Next Page</u>

# WEST Search History

DATE: Saturday, September 07, 2002

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
DB=USPT; PLUR=)	ES; OP=AND		
L1	tgfb4 or tgfb-4	2	L1
DB=USPT,PGPB,JP	PAB,EPAB,DWPI,TDBD; PLUR=YES;		
OP=AND			
L2	L1	2	L2
L3	tgfb4 or tgfb-4	3	L3
L4	tgf-b4 or tgf-b-4	1	L4
L5	L4	1	L5

END OF SEARCH HISTORY

ile 155:MEDLINE(R) 1966-2002/Sep W1
\*File 155: Alert feature enhanced for multiple files, duplicates
removal, customized scheduling. See HELP ALERT.

#### 

?p

?p

?p

Ref	Items	RT	Index-term			
E1	4		TRANSFORMING	ACIDIC	COILED	COIL PROTEIN
E2	0	1	TRANSFORMING	GENES		
E3	0		*TRANSFORMING	GROWTH	FACTOR	
E4	2596	6	TRANSFORMING	GROWTH	FACTOR	ALPHA
E5	20		TRANSFORMING	GROWTH	FACTOR	ALPHAADMINISTRAT
E6	2		TRANSFORMING	GROWTH	FACTOR	ALPHAADVERSE EFF
E7	1		TRANSFORMING	GROWTH	FACTOR	ALPHAAGONISTS
E8	373		TRANSFORMING	GROWTH	FACTOR	ALPHAANALYSIS
E9	29		TRANSFORMING	GROWTH	FACTOR	ALPHAANTAGONISTS
E10	331		TRANSFORMING	GROWTH	FACTOR	ALPHABIOSYNTHESI
E11	31		TRANSFORMING	GROWTH	FACTOR	ALPHABLOODBL
E12	3		TRANSFORMING	GROWTH	FACTOR	ALPHACEREBROSPIN

#### Enter P or PAGE for more

Ref Items Index-term 2 TRANSFORMING GROWTH FACTOR ALPHA -- CHEMICAL SY E13 E14 85 TRANSFORMING GROWTH FACTOR ALPHA -- CHEMISTRY -E15 16 TRANSFORMING GROWTH FACTOR ALPHA --DEFICIENCY E16 1 TRANSFORMING GROWTH FACTOR ALPHA --DIAGNOSTIC E17 25 TRANSFORMING GROWTH FACTOR ALPHA -- DRUG EFFECT E18 694 TRANSFORMING GROWTH FACTOR ALPHA --GENETICS --E19 85 TRANSFORMING GROWTH FACTOR ALPHA --IMMUNOLOGY E20 16 TRANSFORMING GROWTH FACTOR ALPHA -- ISOLATION A E21 600 TRANSFORMING GROWTH FACTOR ALPHA --METABOLISM É22 4 TRANSFORMING GROWTH FACTOR ALPHA -- PHARMACOKIN E23 760 TRANSFORMING GROWTH FACTOR ALPHA -- PHARMACOLOG E24 389 TRANSFORMING GROWTH FACTOR ALPHA --PHYSIOLOGY

#### Enter P or PAGE for more

Ref Items RT Index-term TRANSFORMING GROWTH FACTOR ALPHA -- RADIATION E E25 2 E26 40 TRANSFORMING GROWTH FACTOR ALPHA --SECRETION -E27 TRANSFORMING GROWTH FACTOR ALPHA --THERAPEUTIC 15 E28 7 TRANSFORMING GROWTH FACTOR ALPHA --TOXICITY --E29 10 TRANSFORMING GROWTH FACTOR ALPHA --URINE --UR 1 TRANSFORMING GROWTH FACTOR ALPHA RECEPTOR E30 0 10 TRANSFORMING GROWTH FACTOR ALPHA-PSEUDOMONAS E E31 9 TRANSFORMING GROWTH FACTOR BETA E32 14501 E33 216 TRANSFORMING GROWTH FACTOR BETA --ADMINISTRATI TRANSFORMING GROWTH FACTOR BETA --ADVERSE EFFE E34 19 E35 TRANSFORMING GROWTH FACTOR BETA -- AGONISTS -- A 7 TRANSFORMING GROWTH FACTOR BETA -- ANALYSIS -- A E36 912

#### Enter P or PAGE for more

Ref	Items	Index-term				
E37	435	TRANSFORMING	GROWTH	FACTOR	BETA	ANTAGONISTS
E38	1614	TRANSFORMING	GROWTH	FACTOR	BETA	BIOSYNTHESIS
E39	459	TRANSFORMING	GROWTH	FACTOR	BETA	BLOODBL
E40	35	TRANSFORMING	GROWTH	FACTOR	BETA	CEREBROSPINA
E41	1	TRANSFORMING	GROWTH	FACTOR	BETA	CHEMICAL SYN
E42	231	TRANSFORMING	GROWTH	FACTOR	BETA	CHEMISTRY
E43 ·	41	TRANSFORMING	GROWTH	FACTOR	BETA	CLASSIFICATI
E44	41	TRANSFORMING	GROWTH	FACTOR	BETA	DEFICIENCY -
E45	2	TRANSFORMING	GROWTH	FACTOR	BETA	DIAGNOSTIC U
E39 E40 E41 E42 E43 E44	459 35 1 231 41 41	TRANSFORMING TRANSFORMING TRANSFORMING TRANSFORMING TRANSFORMING TRANSFORMING	GROWTH GROWTH GROWTH GROWTH GROWTH	FACTOR FACTOR FACTOR FACTOR FACTOR	BETA BETA BETA BETA BETA	BLOODBL CEREBROSPIN CHEMICAL SY CHEMISTRY - CLASSIFICAT DEFICIENCY

```
137 TRANSFORMING GROWTH FACTOR BETA -- DRUG EFFECTS
E46
       3100 TRANSFORMING GROWTH FACTOR BETA --GENETICS --G
E47
          1 TRANSFORMING GROWTH FACTOR BETA --HISTORY --HI
E48
          Enter P or PAGE for more
?p
Ref
      Items
             Index-term
       693
             TRANSFORMING GROWTH FACTOR BETA -- IMMUNOLOGY -
E49
E50
         92 TRANSFORMING GROWTH FACTOR BETA -- ISOLATION AN
>>>Invalid parameter on Page command
?s e32-e50
           14501 TRANSFORMING GROWTH FACTOR BETA
             216 TRANSFORMING GROWTH FACTOR BETA --ADMINISTRATI
               19 TRANSFORMING GROWTH FACTOR BETA --ADVERSE EFFE
                7 TRANSFORMING GROWTH FACTOR BETA --AGONISTS --A
              912 TRANSFORMING GROWTH FACTOR BETA -- ANALYSIS -- A
              435 TRANSFORMING GROWTH FACTOR BETA --ANTAGONISTS
             1614 TRANSFORMING GROWTH FACTOR BETA --BIOSYNTHESIS
              459 TRANSFORMING GROWTH FACTOR BETA --BLOOD --BL
                   TRANSFORMING GROWTH FACTOR BETA -- CEREBROSPINA
                   TRANSFORMING GROWTH FACTOR BETA -- CHEMICAL SYN
                   TRANSFORMING GROWTH FACTOR BETA -- CHEMISTRY --
              231
                   TRANSFORMING GROWTH FACTOR BETA --CLASSIFICATI
               41
                   TRANSFORMING GROWTH FACTOR BETA -- DEFICIENCY -
                   TRANSFORMING GROWTH FACTOR BETA --DIAGNOSTIC U
             137
                   TRANSFORMING GROWTH FACTOR BETA -- DRUG EFFECTS
             3100
                   TRANSFORMING GROWTH FACTOR BETA --GENETICS --G
                   TRANSFORMING GROWTH FACTOR BETA --HISTORY --HI
                1
              693
                   TRANSFORMING GROWTH FACTOR BETA -- IMMUNOLOGY -
               92 TRANSFORMING GROWTH FACTOR BETA --ISOLATION AN
            14501 E32-E50
?e e32
      Items Type RT Index-term
     14501 X
14501 X
14501 X
14501 X
                   9 *TRANSFORMING GROWTH FACTOR BETA
R1
                       DC=D11.303.900.720. (TRANSFORMING GROWTH FACTOR BETA)
R2
                       DC=D12.644.900.720. (TRANSFORMING GROWTH FACTOR BETA)
R3
                       DC=D24.185.348.900.720. (TRANSFORMING GROWTH FACTOR
R4
                       BETA)
                       DC=D24.611.350.400.800. (TRANSFORMING GROWTH FACTOR
    14501 X
R5
                       BETA)
              X 1 BONE-DERIVED TRANSFORMING GROWTH FACTOR
X 1 PLATELET TRANSFORMING GROWTH FACTOR
X 1 TGF-BETA
B 102 GROWTH SUBSTANCES
R6
          0
R7
          0
R8
         1
      19034
R9
      2125 B 7 TRANSFORMING GROWTH FACTORS
R10
?s r1-r8
           14501 TRANSFORMING GROWTH FACTOR BETA
           14501 DC=D11.303.900.720. (TRANSFORMING GROWTH FACTOR BETA)
14501 DC=D12.644.900.720. (TRANSFORMING GROWTH FACTOR BETA)
            14501 DC=D24.185.348.900.720. (TRANSFORMING GROWTH FACTOR
                   BETA)
            14501 DC=D24.611.350.400.800. (TRANSFORMING GROWTH FACTOR
                   BETA)
                  BONE-DERIVED TRANSFORMING GROWTH FACTOR
                O PLATELET TRANSFORMING GROWTH FACTOR
           1 , TGF-BETA
14501 R1-R8
      S2
?e r8
      Items Type RT Index-term
Ref
R1
       1
                   1 *TGF-BETA
R2
      14501
                   9 TRANSFORMING GROWTH FACTOR BETA
?s r1-r2
                1 TGF-BETA
           14501 TRANSFORMING GROWTH FACTOR BETA 14501 R1-R2
      S3
```

```
Description
Set
       Items
       14501
              E32-E50
S1
             R1-R8
      14501
S2
S3
       14501
             R1-R2
?s (s1 or s2 or s3) and b4
          14501 S1
          14501 S2
          14501 S3
           8199 B4
```

```
Set
        Items
                Description
S1
        14501
                E32-E50
S2
        14501
                R1-R8
S3
        14501
                R1-R2
                 (S1 OR S2 OR S3) AND B4
S4
S5
          197
                 (S1 OR S2 OR S3) (3N) (BETA? (2N) 4)
                 (S1 OR S2 OR S3) (3N) (BETA (2N) 4) NOT L4
S6
          197
S7
          839
                 (S1 OR S2 OR S3)
                                   (N) (BETA)
S8
            0
                 (S1 OR S2 OR S3)
                                   (N) (BETA (N) 4)
                                   (N) (BETA (2N) 4)
S9
            0
                 (S1 OR S2 OR S3)
S10
            0
                 (S1 OR S2 OR S3)
                                   (N) (B (2N) 4)
S11
            2
                 FACTOR (N) BETA4
?t s11/9/all
```

11/9/1
DIALOG(R) File 155: MEDLINE(R)

12782530 21454090 PMID: 11567773

Adjuvant effects of IL-1beta, IL-2, IL-8, IL-15, IFN-alpha, IFN-gamma TGF-beta4 and lymphotactin on DNA vaccination against Eimeria acervulina.

Min W; Lillehoj H S; Burnside J; Weining K C; Staeheli P; Zhu J J Parasite Biology, Epidemiology, Systematics Laboratory, Animal and Natural Resources Institute, BARC-East, Building 1040, US Department of Agriculture, Beltsville, MD 20705, USA.

Vaccine (England) Oct 12 2001, 20 (1-2) p267-74, ISSN 0264-410X

Journal Code: 8406899

Document type: Journal Article

Languages: ENGLISH
Main Citation Owner: NLM
Record type: Completed
Subfile: INDEX MEDICUS

Eight chicken cytokine genes (IL-1beta, IL-2, IL-8, IL-15, IFN-alpha, IFN-gamma, TGF-beta4, lymphotactin) were evaluated for their adjuvant effect on a suboptimal dose of an Eimeria DNA vaccine carrying the 3-1E parasite gene (pcDNA3-1E). Chickens were given two subcutaneous injections with 50 microg of the pcDNA3-1E vaccine plus a cytokine expression plasmid 2 weeks apart and challenged with Eimeria acervulina 1 week later. IFN-alpha (1 microg) or 10 microg of lymphotactin expressing plasmids, when given simultaneously with the pcDNA3-1E vaccine, significantly protected against body weight loss induced by E. acervulina. Parasite replication was significantly reduced in chickens given the pcDNA3-1E vaccine along with 10 microg of the IL-8, lymphotactin, IFN-gamma, IL-15, TGF-beta4, or IL-1beta plasmids compared with chickens given the pcDNA3-1E vaccine alone. Flow cytometric analysis of duodenum intraepithelial lymphocytes showed chickens that received the pcDNA3-1E vaccine simultaneously with the IL-8 or IL-15 genes had significantly increased CD3+ cells compared with vaccination using pcDNA3-1E alone or in combination with the other cytokine genes tested. These results indicate that the type and the dose of cytokine genes injected into chickens influence the quality of the local immune response to DNA vaccination against coccidiosis.

Tags: Animal; Comparative Study; Support, U.S. Gov't, Non-P.H.S.

Immunologic; \*Coccidiosis--veterinary--VE; Descriptors: \*Adjuvants, \*Interferons--immunology--IM; \*Interleukins \*Eimeria--immunology--IM; \*Poultry Diseases --immunology--IM; \*Lymphokines--immunology--IM; control--PC; \*Sialoglycoproteins--immunology--IM; --prevention and \*Transforming Growth Factor beta--immunology--IM; Chickens; Coccidiosis Coccidiosis -- prevention and --immunology--IM; control--PC; Evaluation, Preclinical; Duodenum--immunology--IM; Duodenum--parasitology --PS; Genetic Vectors--administration and dosage--AD; Genetic Vectors --genetics--GE; Interferon Type II--genetics--GE; Interferon Type II --immunology--IM; Interferon-alpha--genetics--GE; Interferon-alpha --immunology--IM; Interferons--genetics--GE; Interleukin-1--genetics--GE; Interleukin-1--immunology--IM; Interleukin-15--genetics--GE; Interleukin-15--immunology--IM; Interleukin-2--genetics--GE; Interleukin-2--immunology Interleukin-8--genetics--GE; Interleukin-8--immunology--IM; Interleukins--genetics--GE; Lymphokines--genetics--GE; Parasite Egg Count; Diseases--immunology--IM; Sialoglycoproteins--genetics--GE; Specific Pathogen-Free Organisms; Transforming Growth Factor beta--genetics --GE; Vaccination--veterinary--VE; Vaccines, DNA--genetics--GE; Vaccines,

DNA--immunology--IM; Weight Gain CAS Registry No.: 0 (Adjuvants, Immunologic); 0 (Genetic Vectors); 0 (Interferon-alpha); 0 (Interleukin-1); 0 (Interleukin-15); 0 (Interleukin-2); 0 (Interleukin-8); 0 (Interleukins); 0 (Lymphokines) (Sialoglycoproteins); 0 (Transforming Growth Factor beta); 0 (Vaccines, DNA); 0 (lymphotactin); 0 (transforming growth factor beta4) ; 82115-62-6 (Interferon Type II); 9008-11-1 (Interferons) Record Date Created: 20010924 11/9/2 DIALOG(R) File 155: MEDLINE(R) 98328280 PMID: 9665343 Temporal and site-specific expression of transforming growth factor beta4 in human endometrium. Tabibzadeh S; Lessey B; Satyaswaroop P G Department of Pathology, Moffitt Cancer Center, Tampa, FL 33612, USA.

tabibzadeh@bioscience.org

Molecular human reproduction (ENGLAND) Jun 1998, 4 (6) p595-602, ISSN 1360-9947 Journal Code: 9513710

Contract/Grant No.: CA46866; CA; NCI; CA62211; CA; NCI; HD34824; HD;

Document type: Journal Article

Languages: ENGLISH Main Citation Owner: NLM Record type: Completed Subfile: INDEX MEDICUS

We recently identified a novel member of the transforming growth factor (TGF)-beta superfamily and showed that this gene, designated as endometrial bleeding associated factor (ebaf), or TGFbeta4, has a unique expression pattern in human endometrium. By Northern blot analysis, we showed that this gene was expressed in human endometrium during the late secretory and menstrual phases and was absent in proliferative, early and mid-secretory endometria. In this report, we show by in-situ hybridization that the mRNA of the TGF-beta4 is not expressed in the proliferative endometria. On the other hand, focal expression of the TGFbeta4 mRNA first appears in some endometrial glands in the mid-secretory phase. The TGFbeta4 mRNA is strongly expressed in the endometrial stroma during the late secretory and menstrual phases of the cycle. We raised a polyclonal rabbit antiserum against a peptide at the C terminal of the protein. Western blot analysis using affinity purified antiserum shows that the TGFbeta4 precursor detected in the endometrium as well as placenta is 41 kDa. Bands in the range of 45-51 kDa are also present in human endometrium, more predominantly during the late secretory phase. Immunohistochemical staining shows a low level of immunoreactivity for TGFbeta4 in the early, mid- and late proliferative and early and mid-secretory endometria. A strong immunoreactivity for TGFbeta4 is present in the stroma and to lesser extent in the endometrial glands in late secretory and menstrual endometria. The specificity of staining was shown by neutralizing the activity of the antibody with the synthetic peptide used for raising the antibody and by omitting the antibody. The findings show that TGFbeta4, both at the mRNA and protein levels, exhibits temporal and site specific expression in human endometrium.

Tags: Animal; Female; Human; Support, Non-U.S. Gov't; Support, U.S. Gov't, P.H.S.

Descriptors: \*Endometrium--metabolism--ME; \*Gene Expression Regulation; \*Menstrual Cycle--genetics--GE; \*Transforming Growth Factor --biosynthesis--BI; Amino Acid Sequence; Blotting, Western; Immunoenzyme Techniques; In Situ Hybridization; Molecular Sequence Data; Multigene Family; Peptide Fragments--immunology--IM; RNA, Messenger--biosynthesis--BI RNA, Messenger--genetics--GE; Rabbits; Transforming Growth Factor beta --genetics--GE; Transforming Growth Factor beta--immunology--IM CAS Registry No.: 0 (Peptide Fragments); 0 (RNA, Mes

(Peptide Fragments); 0 (RNA, Messenger); 0 (Transforming Growth Factor beta)

Record Date Created: 19981022

?logoff hold

07sep02 12:39:50 User228206 Session D1853.4 \$1.14 0.358 DialUnits File155

\$0.42 2 Type(s) in Format 9
\$0.42 2 Types